


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION, 19 .  
 © COPYRIGHT 19 BY AMP INCORPORATED. ALL INTERNATIONAL RIGHTS RESERVED.

PROD CODE	LOC	DIST	P	F	ZONE	LTR	DESCRIPTION	DATE	APPD
4092	DF	50				N	REV & REDRAWN PER DF-2519	CT 2-27-90	DE
						P	REV PER DF-4923 AJG	9-91	DE
						R	REV 0600-0571-93 TT	07-93	SG

PART NO.	A DIM $\triangle 1$	CUSTOMER MARKING	
862192-1	9.00 [228.6]	PS78548-4	
862192-2	8.00 [203.2]	-	
862192-3	12.00 [304.8]	-	OBSOLETE
862192-4	13.00 [330.2]	-	
862192-5	6.00 [152.4]	-	OBSOLETE
862192-6	5.50 [139.7]	PC97528-2	
862192-7	9.50 [241.3]	PC97528-3	
862192-8	7.00 [177.8]	PC97528-4	
862192-9	8.00 [203.2]	PC78572-1	



- $\triangle 1$  TOLERANCE OF LEAD LENGTH:  
 UP TO 24 INCHES [609.6] =  $\pm .12$  [ $\pm 3.0$ ]  
 24 INCHES [609.6] & UP =  $\pm 1\%$
- MARKED PER MIL-STD-130, CUSTOMER MARKING PER TABLE.
  - TO MATE WITH AMP LGH-1 RECEPTACLE WITH .88 BARREL DEPTH.
  - OPERATING VOLTAGE: 20 KVDC AT 0 TO 70,000 FEET, -55°C TO 125°C.

DO NOT SCALE PRINT. UNLESS SPECIFIED DIMENSIONS IN INCHES [mm] TOLERANCES ON: 2 PLC DEC $\pm .02$ [0.5] 3 PLC DEC $\pm$ - ANGLES $\pm$ -	DR 12-11-89 C.C. THOMAS	AMP INCORPORATED Harrisburg, Pa. 17105	
MATERIAL SEE CALLOUTS	CHK 2-27-90 DAN EABY		
FINISH -	APPD 2-27-90 DAN EABY	SIZE <b>C</b>	CAGE CODE 00779
	PRODUCT SPEC -	DRAWING NO 862192	
	APPLICATION SPEC -	SCALE 2:1	SHEET 1 OF 1
	WEIGHT -		

**METRIC**